

SENCITY® Road IC MIMO Antenna 1399.99.0186

Description

Compact omni-directional 2x2 MIMO in-carriage antenna for busses.
 Supports 2x2 WiFi MIMO in Wi-Fi 4 / Wi-Fi 6 and Wi-Fi 6E bands.
 Supports 2x2 Cellular MIMO in 2.3 / 2.6 / 3.5 GHz bands.
 Vandalism proof design.
 Fire retardant acc. to ECE-R118.
 Single hole mounting.
 FAKRA connector, cable length 3m.



Product Configuration

Technical Data

Electrical Data

	Band 1	Band 2	Band 3	Band 4
Frequency (MHz)	2300 - 2500	2500 - 2690	3400 - 4200	4900 - 5975
VSWR	1.5	1.5	1.8	1.5
Impedance (Ohm)	50	50	50	50
Gain (dBi)	2	2	2	1
Composite power max (W)	40	40	40	30
Ambient temperature (°C)	25	25	25	25
Port isolation (dB)	22	22	25	27

	Band 5
Frequency (MHz)	5975 - 7125
VSWR	1.7
Impedance (Ohm)	50
Gain (dBi)	0
Composite power max (W)	20
Ambient temperature (°C)	25
Port isolation (dB)	30

Ports

	Port 1 to 2
Port name	Cell / WiFi 1 to 2 (white)
Connector	FAKRA, jack (female)
Cable Type	ENVIROFLEX_316_D-AM
Cable Length (m)	3.0
Polarization	Vertical
DC Grounded	Yes

Connections

	Band 1	Band 2	Band 3	Band 4	Band 5
Port 1 to 2	X	X	X	X	X

SENCITY® Road IC MIMO Antenna 1399.99.0186

General Data

Ground plane: Antenna works on metallic as well as on non-metallic ground plane. Indicated gain values are valid for an antenna mounted on metallic ground plane of 0.5m diameter.

Mechanical Data

Dimensions (mm) 33.2 x 145 (Height x Diameter)
Weight (kg) 0.9

Mounting breakthrough Ø 29mm

Environmental Data

Environmental conditions indoor/outdoor
Operation temperature (°C) -40 to 85
Storage temperature (°C) -40 to 85
Transport temperature (°C) -40 to 85

IP rating IP68, IP69

Flammability rating ECE-R118

Solar radiation DIN 75220

2011/65/EU (RoHS - including compliant

2015/863 and 2017/2102)

WEEE 2012/19/EU no special marking needed

REACH 1907/2006/EC compliant

Environmental tests: ISO 16750:2010

CE-Mark

Material Data

Radome colour RAL 7044 (grey)
Radome material Reinforced PC (Polycarbonate)

Related Documents

Mounting instruction DOC-0000756790
Painting instruction DOC-0000256180
Security instruction DOC-0000278984
Outline drawing DOU-00480139
3D-model DOC-0001112868